



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/883,838	06/17/2001	Brian Bailey	51005.P219	9970

25943 7590 08/05/2005

SCHWABE, WILLIAMSON & WYATT, P.C.
PACWEST CENTER, SUITE 1900
1211 SW FIFTH AVENUE
PORTLAND, OR 97204

EXAMINER

STEVENS, THOMAS H

ART UNIT	PAPER NUMBER
----------	--------------

2123

DATE MAILED: 08/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/883,838

Applicant(s)

BAILEY ET AL.

Examiner

Thomas H. Stevens

Art Unit

2123

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 June 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-39 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-39 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

DETAILED ACTION

1. Claims 1-39 were examined.

Section I: Response to Applicants' Arguments (1st Office Action)

Claim Objections

2. Applicants are thanked for addressing this issue. Objection is withdrawn.

USC 112 (1st)

3. Applicants are thanked for addressing this issue. Rejections for claims 1-38 and claim 3 are withdrawn. Furthermore, applicants' rebuttal to claim 5 is vague to the question of simulation versions. Nonetheless, examiner's rejection to claim 5 is withdrawn.

USC 112 (2nd)

4. Applicants are thanked for addressing this issue. Based on applicants' amendment, all rejections are withdrawn.

USC 103 (a)

5. Applicants are thanked for addressing this issue. Applicants dispute Klein's lack of disclosure regarding activating/deactivating "simulation domains". According to www.dictionary.com, domain (computer definition) is defined as "***A group of networked computers that share a common communications address***"; the prior art by Klein states "*co-simulation is performed with a **single coherent view of memory** of the hardware-software system transparently maintained by the co-simulation optimization*

Art Unit: 2123

manager for both the hardware and software simulation (abstract)". Summarily, both simulators share a common network line with specified procedures thus avoid interfering with one another.

Applicants state Rajsuman, Branett and Rush fails to cure the deficiencies of the primary prior; but, respectfully, the applicants are silent in elaboration. Thus rejection stands.

Request for an Interview

6. Office acknowledges applicants' request. Unfortunately due to the high volume of cases awaiting first examination, interviews for previously stated issues will not be granted at this time. If new issues arise, applicants are encouraged to submit a PTO Form 413A (Request for an Interview).

Section II: Final Rejection (2nd Office Action)

Claim Rejections - 35 USC § 103

7. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.

Art Unit: 2123

4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

13. Claims 1-5, 7-20,22-29,32,34,35,37-39 are rejected under 35 U.S.C. 103 (a) as unpatentable by Klein et al. (U.S. Patent 5,768,567 (1998)), in view of Rajsuman et al. (U.S. Patent 6,678,645 (2004)). Klein et al. teaches optimizing hardware-software via co-simulation but doesn't each co-simulation with C++ or HDL language. Rajsuman et al. teaches a method and apparatus for validating system-on-chip design using HDL/C++ language. At the time of invention, it would have been obvious to one of ordinary skill in the art to modify Klein et al. with Rajsuman et al. to decrease delays in productivity.

Claim 1 . A method comprising: selectively activating and deactivating particular simulation domains (Klein: column 17, lines 1-5) in a simulation environment such that a resolution and a performance (Rajsuman: column 5, 34-41) for a circuit design being simulated is dynamically modified (Klein: column 3, lines 1-5); and said simulation environment comprising a plurality of simulation domains (Klein: column 14, lines 16-24).

Art Unit: 2123

Claim 2. The method of claim 1 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24) wherein the plurality of simulation domains comprises at least one of a software execution domain (Rajsuman: column 12, lines 21-25) a hardware simulation domain, and an abstract model simulation domain.

Claim 3. The method of claim 2 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Rajsuman: column 12, lines 21-25) wherein the software execution domain comprises at least one of a native processor package (specification notes native processor as simulation clock—Klein: column 16, lines 35-40), an instruction set simulator (ISS) (Klein: column 2, lines 55-60), and a programming language simulator (Rajsuman: column 12, lines 21-25) to model software execution in one or more processors.

Claim 4. The method of claim 2 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Rajsuman: column 12, lines 21-25) wherein the hardware simulation domain comprises (Klein: column 2, lines 55-60) at least one of a logic simulator and a programming language simulator (Rajsuman: column 12, lines 21-25).

Claim 5. The method of claim 4 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Rajsuman: column 12, lines 21-25; Klein: column 2, lines 55-60; Rajsuman: column 12, lines 21-25) wherein the logic simulator comprises one of a

Art Unit: 2123

hardware description language (HDL) based simulator (Rajsuman: column 12, lines 21-25), a gate-level simulator (Rajsuman: column: 11, lines 4-11 with Klein: column 2, lines 55-60), a simulation accelerator, a system simulator, a cycle simulator, and a programmable hardware emulator (Rajsuman: column 12, lines 21-25).

Claim 7. The method of claim 1 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24) wherein each of the plurality of simulation domains comprises at least one model of a circuit element in the circuit design (Rajsuman: column 13, lines 55-60).

Claim 8. The method of claim 1 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24) further comprising: partitioning the circuit design into the plurality of simulation domains (Rajsuman: column 13, lines 55-60) based on a partition (Klein: column 15, line 42) criteria.

Claim 9. The method of claim 8 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 13, lines 55-60; Klein: column 15, line 42) wherein the partition criteria comprises at least one of an abstraction level, a simulation type, and a function type.

Claim 10. The method of claim 9 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 13, lines 55-60; Klein: column 15, line 42) wherein partitioning the circuit design based on the

Art Unit: 2123

abstraction level partitions (Klein: column 15, line 42 with Rajsuman: column 1, lines 50-55) the circuit design into at least one of a pin-level domain (Rajsuman: column 13, lines 34), a bus-level domain (Rajsuman: column 2, lines 41-47) and a transaction-level domain.

Claim 11. The method of claim 9 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 13, lines 55-60; Klein: column 15, line 42) wherein partitioning the circuit design based (Klein: column 15, line 42) on the simulation type partitions the circuit design into at least one of a software execution domain, a logic simulator domain, and a programming language simulator domain (Rajsuman: column 1, lines 37-40).

Claim 12. The method of claim 9 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 13, lines 55-60; Klein: column 15, line 42) wherein partitioning the circuit design (Klein: column 15, line 42) based on the function type comprises: identifying one or more functional elements in the circuit design that have a particular level of independent operation from the remainder of the circuit design (Rajsuman: column 2, lines 40-55); and defining a domain encompassing each identified functional element (vague; Rajsuman: column 2, lines 40-55).

Art Unit: 2123

Claim 13. The method of claim 1 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24) wherein each of the plurality of simulation domains provides *a particular performance level (vague) and a particular resolution level*, and wherein the particular simulation domains are selectively activated or deactivated during particular stages of simulation in combinations that either accelerate performance of the simulation environment or increase resolution of the simulation environment (not address by examiner: increase resolution is vague).

Claim 14. The method of claim 1 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24) wherein selectively activating and deactivating the particular simulation domains comprises: identifying a system state of the circuit design; determining which of the plurality of simulation domains are to be active for the identified system state (Klein: column 3, lines 14-24); and advancing simulation time only in each activated simulation domain (Klein: column 3, lines 1-5).

Claim 15. The method of claim 14 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Klein: column 3, lines 14-24; Klein: column 3, lines 1-5) wherein determining which of the plurality of simulation domains are to be active for the identified system state comprises at least one of a centralized control, a transaction-based control (Klein: columns 10-11, lines 57-67, 1-11, respectively) and a distributed control.

Art Unit: 2123

Claim 16. The method of claim 15 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Klein: column 3, lines 14-24; Klein: column 3, lines 1-5; Klein: columns 10-11, lines 57-67, 1-11, respectively) wherein the centralized control comprises: receiving the system state from one or more of the plurality of simulation domains: consulting system configuration information to determine which of the plurality of simulation domains correspond to the particular system state (Klein: column 5, lines 56-67); and instructing a centralized simulation clock (Klein: column 3, lines 14-20) to advance only for those domains corresponding to the particular system state.

Claim 17. The method of claim 15 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Klein: column 3, lines 14-24; Klein: column 3, lines 1-5; Klein: columns 10-11, lines 57-67, 1-11, respectively Klein: column 3, lines 14-20) wherein the system state comprises system addresses (Klein: column 3, lines 30-37) in the circuit design.

Claim 18. The method of claim 15 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Klein: column 3, lines 14-24; Klein: column 3, lines 1-5; Klein: columns 10-11, lines 57-67, 1-11, respectively) wherein the system state comprises a data transaction in the circuit design, said data transaction being configured with information identifying which of the plurality of simulation domains are to be active for the data transaction, and wherein the

Art Unit: 2123

transaction-based control comprises: sending a message to centralized simulation clock as part of the data transaction, said message to instruct the centralized simulations clock (Klein: column 3, lines 14-20) with respect to which of the plurality of simulation domains are to be for the data transaction.

Claim 19. The method of claim 15 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Klein: column 3, lines 14-24; Klein: column 3, lines 1-5; Klein: columns 10-11, lines 57-67, 1-11, respectively) wherein a predetermined simulation domain is configured with activation information identifying at least one particular system state for which the predetermined simulation domain is to be active, (Klein: column 3, lines 14-20) wherein identifying the system state comprises receiving a broadcast of the system state at the predetermined simulation domain, and wherein distributed control at the predetermined simulation domain comprises: determining if the predetermined simulation domain is to be active for the identified system state based on the activation information (Klein: columns 2 and 3, lines 55-67, 1-14, respectively); and advancing an operation in the predetermined simulation domain accordingly.

Claim 20. The method of claim 19 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Klein: column 3, lines 14-24; Klein: column 3, lines 1-5; Klein: columns 10-11, lines 57-67, 1-11, respectively; Klein: columns 2 and 3, lines 55-67, 1-14, respectively) wherein the information further

Art Unit: 2123

identifies an event for terminating operation of the predetermined simulation domain (Klein: column 11, lines 24-27) for the at least one particular system state.

Claim 22. The method of claim 1 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24) wherein the plurality of simulation domains comprises a hierarchical structure, and wherein selectively activating and deactivating the particular simulation domains on levels of the hierarchical structure.

Claim 23. The method of claim 1 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24) wherein each of the plurality of simulation domains comprises at least one simulation model, the method further comprising: identification state information comprising a transfer from a first simulation model in the simulation environment, said transfer being directed to a second simulation model in a circuit design being simulated in the simulation environment; receiving the state information from the first simulation model (Rajsuman: column 4, lines 1-6); and making the state information available to the second simulation model without simulating the transfer in the circuit design (Klein: column 10, lines 14-16).

Claim 24. The method of claim 23 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 4, lines 1-

Art Unit: 2123

6; Klein: column 10, lines 14-16) wherein simulating the transfer from the first simulation model to the second simulation model in the circuit design comprises transferring the state information through at least one additional simulation model in the simulation environment.

Claim 25. The method of claim 23 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 4, lines 1-6; Klein: column 10, lines 14-16) wherein receiving the state information and making the state information available comprises: storing the state information in a coherent state memory space that is part of the simulation environment and corresponds to an element in the circuit design being simulated (Klein: column 18, lines 40-46), said coherent state memory space being accessible to both the first simulation and the second simulation model.

Claim 26. The method of claim 25 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 4, lines 1-6; Klein: column 10, lines 14-16; Klein: column 18, lines 40-46) wherein the coherent state memory space is accessible to a plurality of additional simulation models.

Claim 27. The method of claim 23 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 4, lines 1-6; Klein: column 10, lines 14-16) wherein receiving the state information and making the

Art Unit: 2123

state information available comprises at least one of: a virtual transfer path (as defined in the specification as where a simulation model does not exist for a particular data path in the circuit design—coherent memory: Klein: column 18, lines 40-45) for use when a simulation model of a transfer path in the circuit design is not included in the simulation environment; and a higher performance (not addressed: speculative/opinion) transfer path than the simulation model of the transfer path in the circuit design.

Claim 28. The method of claim 27(Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 4, lines 1-6; Klein: column 10, lines 14-16; as defined in the specification as where a simulation model does not exist for a particular data path in the circuit design—coherent memory: Klein: column 18, lines 40-45) wherein the higher performance transfer path provides a lower level of resolution than the simulation model of the transfer path in the circuit design.

Claim 29. The method of claim 1 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24) wherein a first simulation model and a second simulation model of the plurality of simulation models represent different versions of a same functionality in the circuit design.

Claim 32. The method of claim 1 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24) wherein a set of simulation models among a plurality of

Art Unit: 2123

simulation models represent a same functionality in the circuit design, each of the set of the set of simulation models being used at different stages of simulation depending on a desired performance level and/or resolution level of the simulation.

Claim 34. The method of claim 23 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 4, lines 1-6; Klein: column 10, lines 14-16) wherein both the first simulation model and the second simulation model are within a same simulation domain in the simulation environment.

Claim 35. The method of claim 23 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 4, lines 1-6; Klein: column 10, lines 14-16) wherein the first simulation model and the second simulation model are within different simulation domains in the simulation environment.

Claim 37. The method of claim 2 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Rajsuman: column 12, lines 21-25) wherein the abstract model simulation domain comprises at least one of a hardware description language (HDL) simulator and a programming language simulator (Rajsuman: column 12, lines 21-25).

Art Unit: 2123

Claim 39: A machine readable storage medium having stored thereon machine readable instructions that when executed implement a method comprising: selectively activating and deactivating particular simulation domains in a simulation environment such that a resolution and a performance (Klein: column 17, lines 1-5) for a circuit design being simulated can be dynamically modified (Klein: column 3, lines 1-5); and said simulation environment comprising a plurality of simulation domains (Klein: column 14, lines 16-24).

13. Claims 6, 36 and 38 are rejected under 35 U.S.C. 103 (a) as unpatentable by Klein et al. (U.S. Patent 5,768,567 (1998)), in view of Rajsuman et al. (U.S. Patent 6,678,645 (2004)) in further view of Barnett et al. (U.S. Patent 6,223,144 (2001)). Klein et al. teaches optimizing hardware-software via co-simulation but doesn't each co-simulation with C++ or HDL language. Rajsuman et al. teaches a method and apparatus for validating system-on-chip design using HDL/C++ language, while Barnett et al. teaches evaluation of circuits with Java programming language. At the time of invention, it would have been obvious to one of ordinary skill in the art to modify Klein with Rajsuman et al. and Barnett et al. add an active software language to visually enhance the optimization process.

Claim 6. The method of claim 4 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Rajsuman: column 12, lines 21-25; Klein: column 2, lines 55-60; Rajsuman: column 12, lines 21-25) wherein the programming language simulator

Art Unit: 2123

comprises at least one of a C programming language simulator, a C++ programming language simulator, a simulator using a C-based language, a simulator using a C++ based language, and a JAVA programming language simulator (Barnett: column 4, line 19).

Claim 36. The method of claim 3(Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Rajsuman: column 12, lines 21-25; (specification notes native processor as simulation clock—Klein: column 16, lines 35-40; Klein: column 2, lines 55-60; Rajsuman: column 12, lines 21-25) wherein the programming language simulator comprises at least one of a C programming language simulator, a C++ programming language simulator, a simulator using a C-based language, a simulator using a C++ based language, and a JAVA programming language simulator (Barnett: column 4, line 19).

Claim 38. The method of claim 37(Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Rajsuman: column 12, lines 21-25) wherein the programming language simulator comprises at least one of a C programming language simulator, a C++ programming language simulator, a simulator using a C-based language, a simulator using a C++ based language, and a JAVA programming language simulator (Barnett: column 4, line 19).

14. Claims 21 is rejected under 35 U.S.C. 103 (a) as unpatentable by Klein et al. (U.S. Patent 5,768,567 (1998)), in view of Rajsuman et al. (U.S. Patent 6,678,645 (2004)) in further view of Rush (U.S. Patent 5,742,181 (1998)). Klein et al. teaches optimizing hardware-software via co-simulation but doesn't each co-simulation with C++ or HDL language. Rajsuman et al. teaches a method and apparatus for validating system-on-chip design using HDL/C++ language, while Rush teaches simulation and emulation of FPGAs with hierarchical structure. At the time of invention, it would have been obvious to one of ordinary skill in the art to modify Klein et al. with Rajsuman et al. and Rush for organizational structure.

Claim 21. The method of claim 14 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Klein: column 3, lines 14-24; Klein: column 3, lines 1-5) wherein determining which of the plurality of simulation domains are to be active for the identified system state depends on a plurality of control mechanisms, wherein each of the plurality of control mechanisms comprises a priority level, and wherein a higher priority control mechanism takes precedence over a lower priority control mechanism.

Art Unit: 2123

15. Claims 30,31, and 33 are rejected under 35 U.S.C. 103 (a) as unpatentable by Klein et al. (U.S. Patent 5,768,567 (1998)), in view of Rajsuman et al. (U.S. Patent 6,678,645 (2004)) in further view of Patel (U.S. Patent 5,546,562 (1996)). Klein et al. teaches optimizing hardware-software via co-simulation but doesn't each co-simulation with C++ or HDL language or state information. Rajsuman et al. teaches a method and apparatus for validating system-on-chip design using HDL/C++ language, while Patel teaches state information. At the time of invention, it would have been obvious to one of ordinary skill in the art to modify Klein et al. by way of Rajsuman et al. and Patel for organizational structure.

Claim 30. The method of claim 29 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24) further comprising: simulating the circuit design using the first simulation model, said first simulation model to generate state information (Patel: column 8, lines 30-35); and switching to simulate the circuit design using the second simulation model (Klein: column 22, lines 10-15), said first simulation model to transfer the state information (Patel: column 8, lines 30-35) to the second simulation model prior to the second simulation model being used.

Claim 31. The method of claim 30 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Patel: column 8, lines 30-35; Klein: column 22, lines 10-15) wherein the first simulation model and the second simulation model each have a particular level of performance and resolution, and wherein switching to the second

Art Unit: 2123

simulation model (Klein: column 22, lines 10-15) is based on a change in a performance level and/or a resolution level desired at a different stage of simulation.

Claim 33. The method of claim 25 (Klein: column 17, lines 1-5; Rajsuman: column 5, 34-41; column 14, lines 16-24; Klein: column 14, lines 16-24; Rajsuman: column 4, lines 1-6; Klein: column 10, lines 14-16; Klein: column 18, lines 40-46) wherein the simulation environment comprises a plurality of additional simulation models, each of the plurality of additional simulation models corresponding to one or more of a plurality of additional coherent state memory spaces, the method further comprising: identifying additional state information (Patel: column 8, lines 30-35) comprising additional transfers among the plurality of additional simulation models in the simulation environment; and storing the additional state information in appropriate ones of the plurality of additional coherent state memory (as defined in the specification as where a simulation model does not exist for a particular data path in the circuit design—coherent memory: Klein: column 18, lines 40-45) space such that the additional state information is accessible to corresponding ones of the plurality of additional simulation models without simulating the additional transfers in the circuit design.

Conclusion

15. **ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2123


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Correspondence Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mr. Tom Stevens whose telephone number is 571-272-3715, Monday-Friday (8:00 am- 4:30 pm) or contact Supervisor Mr. Leo Picard at (571) 272-3749. Central Fax number is 571-273-8300.

Any inquiry of a general nature or relating to the status of this application should be directed to the TC 2100 Group receptionist: 571-272-2100.

July 27, 2005


Paul L. Rodriguez 7/3/05
Primary Examiner
Art Unit 2125

THS